

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A method of increasing the rate of an enzyme catalyzed nucleoside monophosphate transfer from a terminal-phosphate-labeled nucleoside polyphosphate to detect the activity of said enzyme or said terminal-phosphate-labeled nucleoside polyphosphate, said method comprising:

- a) conducting said enzyme catalyzed nucleoside monophosphate transfer from a terminal-phosphate-labeled nucleoside polyphosphate reaction in reaction buffer comprising a manganese salt, thereby increasing the rate of said reaction over the rate of said reaction in the absence of manganese;

wherein said enzyme is selected from a template dependent nucleic acid polymerase, a ligase, a telomerase or a primase.

Claim 2 (cancelled)

Claim 3 (currently amended): The method of claim 1-~~claim 2~~, wherein the nucleic acid polymerase is selected from DNA polymerase, RNA polymerase, reverse transcriptase or terminal transferases.

Claim 4 (currently amended): The method of claim 1-~~claim 2~~, wherein the polymerase is selected from Phi 29 DNA polymerase, Klenow exo⁻, Sequenase, *Taq* DNA polymerase, Thermo Sequenase I, Thermo Sequenase II, Thermo Sequenase E681M, *T. hypogea* (Thy B), *T. neapolitana* (Tne), *T. subterranea* (Tsu), *T. barossii* (Tba), *T. litoralis* (NEB Vent), *T. kodakaraensis* (Novagen), *P. furiosus* (Stratagene), P. GB-D (NEB Deep Vent), Human Pol beta, Tsp JS1, AMV-reverse transcriptase, MMLV- reverse transcriptase and HIV- reverse transcriptase.

Claim 5 (original): The method of claim 1, wherein the concentration of manganese salt is at least 0.01 mM.

Claim 6 (original): The method of claim 1, wherein the manganese salt concentration is between 0.01 to 50 mM.

Claim 7 (original): The method of claim 1, wherein the manganese salt concentration is between 0.1 to 10 mM.

Claim 8 (original): The method of claim 1, wherein an additional metal salt other than manganese, is also present with the terminal-phosphate labeled nucleoside polyphosphate.

Claim 9 (original): The method of claim 8, wherein said additional metal salt is a magnesium or a calcium salt.

Claim 10 (original): The method of claim 8, wherein said additional metal salt is present at a concentration of 0.01 mM to 50 mM.

Claim 11 (original): The method of claim 1, further comprising conducting said reaction in the presence of a metal ion buffer to modulate the concentration of free metal ion.

Claim 12 (original): The method according to claim 11, wherein said metal ion buffer is a dicarboxylic acid.

Claim 13 (withdrawn): A method of detecting the presence of a nucleic acid sequence comprising:

- a) conducting a nucleic acid polymerase reaction according to claim 3 in the presence of a manganese salt to increase the rate of utilization of terminal-phosphate-labeled nucleoside polyphosphates, said polymerase reaction including

reacting one or more terminal-phosphate-labeled nucleotides, and producing labeled polyphosphate;

- b) permitting said labeled polyphosphate to react with a phosphatase to produce a detectable species; and
- c) detecting the presence of said detectable species.

Claim 14 (withdrawn): The method of claim 13, wherein step (a) further comprises conducting said polymerase reaction in the presence of a phosphatase.

Claim 15 (withdrawn): The method of claim 13, wherein said nucleic acid sequence is RNA.

Claim 16 (withdrawn): The method of claim 13, wherein step a) further comprises conducting said polymerase reaction in the presence of two or more terminal-phosphate-labeled nucleotides with distinct labels.

Claim 17 (withdrawn): The method of claim 16, wherein said labels are enzyme-activatable labels selected from the group consisting of chemiluminescent compounds, fluorogenic dyes, chromogenic dyes, mass tags, electrochemical tags and combinations thereof.

Claim 18 (withdrawn): The method of claim 13, wherein said one or more terminal phosphate-labeled nucleotide contain four or more phosphate groups in the polyphosphate chain.

Claim 19 (withdrawn): The method of claim 13, further comprising the step of quantifying said nucleic acid sequence.

Claim 20 (withdrawn): The method of claim 13, wherein said detectable species is produced in amounts substantially proportional to the amount of nucleic acid sequence.

Claim 21 (withdrawn): The method of claim 13, wherein said nucleic acid sequence is a natural or synthetic oligonucleotide.

Claim 22 (withdrawn): The method of claim 13, wherein said nucleic acid sequence is a chromosome or part of a chromosome.

Claim 23 (withdrawn): The method of claim 13, wherein said nucleic acid sequence is DNA.

Claim 24 (withdrawn): The method of claim 13, wherein said polymerase reaction further comprises the step of incubating a nucleic acid sequence in the presence of at least one of DNA or RNA polymerase.

Claim 25 (withdrawn): The method of claim 13, further comprising the step of including one or more additional detection reagents in said polymerase reaction.

Claim 26 (withdrawn): The method of claim 25, wherein said additional detection reagents are capable of a response that is detectably different from said detectable species.

Claim 27 (withdrawn): The method of claim 25, wherein said additional detection reagent is an antibody.

Claim 28 (withdrawn): The method of claim 13, wherein said detectable species is detectable by a property selected from the group consisting of color, fluorescence emission, chemiluminescence, mass change, reduction/oxidation potential and combinations thereof.


Claim 29 (withdrawn): The method of claim 13, further comprising the step of quantifying said nucleic acid sequence by comparison of spectra produced by said detectable species with known spectra.

Claim 30 (withdrawn): A method for determining the identity of a single nucleotide in a nucleic acid sequence comprising:

- a) conducting a polymerase reaction according to claim 13, and
- b) identifying the nucleoside incorporated.

Claim 31 (withdrawn): A method of detecting the presence of a nucleic acid sequence according to claim 13, wherein one or more of said one or more terminal-phosphate labeled nucleosides polyphosphates contain four or more phosphate groups.

Claim 32 (withdrawn): The method of claim 13, wherein said terminal-phosphate-labeled nucleotide is represented by formula I:



wherein

P=phosphate (PO_3) and derivatives thereof, n is 2 or greater;

Y is an oxygen or sulfur atom;

B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety; and

P-L is a phosphorylated label which becomes independently detectable when the phosphate is removed;

wherein L is an enzyme-activatable label containing a hydroxyl group, a
sulfhydryl group or an amino group suitable for forming a phosphate ester, a
thioester or a phosphoramidate linkage at the terminal phosphate of a natural or
modified nucleotide.

Claim 33 (withdrawn): The method of claim 32, wherein said enzyme-activatable label is selected from the group consisting of chemiluminescent compounds, fluorogenic dyes, chromogenic dyes, mass tags, electrochemical tags and combinations thereof.

Claim 34 (withdrawn): The method of claim 32, wherein said phosphorylated label is a fluorogenic moiety is selected from the group consisting of 2-(5'-chloro-2'-phosphoryloxyphenyl)-6-chloro-4-(3H)-quinazolinone, fluorescein diphosphate, fluorescein 3'(6')-O-alkyl-6'(3')-phosphate, 9H-(1,3-dichloro-9,9-dimethylacridin-2-one-7-yl)phosphate, 4-methylumbelliferyl phosphate, resorufin phosphate, 4-trifluoromethylumbelliferyl phosphate, umbelliferyl phosphate, 3-cyanoumbelliferyl phosphate, 9,9-dimethylacridin-2-one-7-yl phosphate, 6,8-difluoro-4-methylumbelliferyl phosphate, and derivatives thereof.

Claim 35 (withdrawn): The method of claim 32, wherein said phosphorylated label is a chromogenic moiety selected from the group consisting of 5-bromo-4-chloro-3-indolyl phosphate, 3-indoxyl phosphate, p-nitrophenyl phosphate and derivatives thereof.

Claim 36 (withdrawn): The method of claim 32, wherein said chemiluminescent compound is a phosphatase-activated 1,2-dioxetane compound.


Claim 37 (withdrawn): The method of claim 36, wherein said 1,2-dioxetane compound is selected from the group consisting of 2-chloro-5-(4-methoxyspiro[1,2-dioxetane-3,2'-(5-chloro-)tricyclo[3,3,1-1^{3,7}]-decan]-1-yl)-1-phenyl phosphate, chloroadamant-2'-ylidenemethoxyphenoxy phosphorylated dioxetane, 3-(2'-spiroadamantane)-4-methoxy-4-(3''-phosphoryloxy)phenyl-1,2-dioxetane and derivatives thereof.

Claim 38 (withdrawn): The method of claim 32, wherein said sugar moiety is selected from the group consisting ribosyl, 2'-deoxyribosyl, 3'-deoxyribosyl, 2', 3'-dideoxyribosyl, 2', 3'-didehydrodideoxyribosyl, 2'-alkoxyribosyl, 2'-azidoribosyl, 2'-aminoribosyl, 2'-fluororibosyl, 2'-mercaptoriboxyl, 2'-alkylthioribosyl, carbocyclic, acyclic and other modified sugars.

Claim 39 (withdrawn): The method of claim 32, wherein said base is selected from the group consisting of uracil, thymine, cytosine, 5-methylcytosine, guanine, 7-deazaguanine, hypoxanthine, 7-deazahypoxanthine, adenine, 7-deazaadenine, 2,6-diaminopurine and analogs thereof.

Claim 40 (withdrawn): A nucleic acid detection kit comprising:

- a) one or more terminal-phosphate-labeled nucleotide according to Formula I



wherein

P=phosphate (PO_3) and derivatives thereof, n is 2 or greater;

Y is an oxygen or sulfur atom;

B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety;


P-L is a phosphorylated label which becomes independently detectable when the phosphate is removed;

wherein L is an enzyme-activatable label containing a hydroxyl group, a sulfhydryl group or an amino group suitable for forming a phosphate ester, a thioester, or a phosphoramidate linkage at the terminal phosphate of a natural or modified nucleotide;

- b) at least one of DNA polymerase, RNA polymerase, or reverse transcriptase;
- c) phosphatase; and
- d) reaction buffer containing manganese salt.

Claim 41 (withdrawn): A nucleic acid detection kit comprising:

- a) one or more terminal-phosphate-labeled nucleotide according to Formula I



wherein

P=phosphate (PO_3) and derivatives thereof, n is 2 or greater;

Y is an oxygen or sulfur atom;

B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety;

P-L is a phosphorylated label which becomes independently detectable when the phosphate is removed,

wherein L is an enzyme-activatable label containing a hydroxyl group, a sulfhydryl group or an amino group suitable for forming a phosphate ester, a thioester, or a phosphoramidate linkage at the terminal phosphate of a natural or modified nucleotide;

- b) one or more DNA polymerase, RNA polymerase, or reverse transcriptase;


- c) phosphatase;
- d) reaction buffer containing a manganese salt; and
- e) a metal-ion binding buffer.

Claim 42 (withdrawn): The kit of any one of claims 40 or 41, wherein said sugar moiety is selected from the group consisting of ribosyl, 2'-deoxyribosyl, 3'-deoxyribosyl, 2', 3'-didehydrodideoxyribosyl, 2',3'-dideoxyribosyl, 2'-alkoxyribosyl, 2'-azidoribosyl, 2'-aminoribosyl, 2'-fluororibosyl, 2'-mercaptoribosyl, 2'-alkylthioribosyl, carbocyclic, acyclic and other modified sugars.

Claim 43 (withdrawn): The kit of any one of claims 40 or 41, wherein said base is selected from the group consisting of uracil, thymine, cytosine, 5-methylcytosine, guanine, 7-deazaguanine, hypoxanthine, 7-deazahypoxanthine, adenine, 7-deazaadenine, 2,6-diaminopurine and analogs thereof.

Claim 44 (withdrawn): The kit of any one of claims 40 or 41, wherein said label is selected from the group consisting of chemiluminescent compounds, fluorescent compounds, colored dyes, fluorogenic dyes, chromogenic dyes, mass tags, electrochemical tags and combinations thereof.

Claim 45 (withdrawn): The method of claim 13, wherein said terminal-phosphate-labeled nucleotide may be represented by formula:



wherein

P=phosphate (PO_3) and derivatives thereof, n is 2 or greater;

Y is an oxygen or sulfur atom;

B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety;

P-L is a phosphorylated label with a linker between L and P,

wherein L is a label containing a hydroxyl group, a sulfhydryl group, a haloalkyl group or an amino group suitable for forming a phosphate ester, a thioester, an alkylphosphonate or a phosphoramidate linkage at the terminal phosphate of a natural or modified nucleotide.

Claim 46 (withdrawn): The method of claim 45, wherein the label is selected from the group consisting of fluorescent dyes, colored dyes, chemiluminescent compounds, fluorogenic dyes, chromogenic dyes, mass tags, electrochemical tags or combination thereof.


Claim 47 (withdrawn): The method of claim 45, wherein the label is a fluorescent moiety selected from the group consisting of fluoresceins, rhodamines, cyanines, pyrenes, dansyls, coumarins, texas red, alexa dyes, rhodol dyes, oregon greens and derivatives thereof.

Claim 48 (withdrawn): The method of claim 45, wherein said sugar moiety is selected from the group consisting of ribosyl, 2'-deoxyribosyl, 3'-deoxyribosyl, 2', 3'-dideoxyribosyl, 2', 3'-didehydrodideoxyribosyl, 2'-alkoxyribosyl, 2'-azidoribosyl, 2'-aminoribosyl, 2'-fluororibosyl, 2'-mercaptoribosyl, 2'-alkylthioribosyl, carbocyclic, acyclic and other modified sugars.

Claim 49 (withdrawn): The method of claim 45, wherein said base is selected from the group consisting of uracil, thymine, cytosine, 5-methylcytosine, guanine, 7-deazaguanine, hypoxanthine, 7-deazahypoxanthine, adenine, 7-deazaadenine, 2,6-diaminopurine and analogs thereof.

Claim 50 (withdrawn): A nucleic acid detection kit comprising:

- a) one or more terminal-phosphate-labeled nucleotide according to Formula I



wherein

P=phosphate (PO_3) and derivatives thereof, n is 2 or greater;

Y is an oxygen or sulfur atom; B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety;


P-L is a phosphorylated label with a linker between L and P,

wherein L is a label containing a hydroxyl group, a sulfhydryl group, a haloalkyl group or an amino group suitable for forming a phosphate ester, a thioester, an alkylphosphonate or a phosphoramidate linkage at the terminal phosphate of a natural or modified nucleotide;

- b) one or more DNA polymerase, RNA polymerase, or reverse transcriptase; and
- c) reaction buffer containing a manganese salt.

Claim 51 (withdrawn): A nucleic acid detection kit comprising:

- a) one or more terminal-phosphate-labeled nucleotide according to Formula I



wherein

P=phosphate (PO_3) and derivatives thereof, n is 2 or greater;

Y is an oxygen or sulfur atom;

B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety;

P-L is a phosphorylated label with a linker between L and P,

wherein L is a label containing a hydroxyl group, a sulphydryl group, a haloalkyl group or an amino group suitable for forming a phosphate ester, a thioester, an alkylphosphonate or a phosphoramidate linkage at the terminal phosphate of a natural or modified nucleotide;

- b) one or more DNA polymerase, RNA polymerase, or reverse transcriptase;
- c) a reaction buffer containing a manganese salt; and
- d) a metal-ion binding buffer.

Claim 52 (withdrawn): The kit of any one of claims 50 or 51, wherein said sugar moiety is selected from the group consisting of ribosyl, 2'-deoxyribosyl, 3'-deoxyribosyl, 2', 3'-didehydrodideoxyribosyl, 2',3'-dideoxyribosyl, 2'-alkoxyribosyl, 2'-azidoribosyl, 2'-aminoribosyl, 2'-fluororibosyl, 2'-mercaptoribosyl, 2'-alkylthioribosyl, carbocyclic, acyclic and other modified sugars.

Claim 53 (withdrawn): The kit of any one of claims 50 or 51, wherein said base is selected from the group consisting of uracil, thymine, cytosine, 5-methylcytosine, guanine, 7-deazaguanine, hypoxanthine, 7-deazahypoxanthine, adenine, 7-deazaadenine, 2,6-diaminopurine and analogs thereof.

Claim 54 (withdrawn): The kit of any one of claims 50 or 51, wherein said label is selected from the group consisting of chemiluminescent compounds, fluorescent compounds, colored dyes, fluorogenic dyes, chromogenic dyes, mass tags, electrochemical tags and combinations thereof.

Claim 55 (withdrawn): A terminal-phosphate labeled nucleoside polyphosphate of the formula:



wherein

Label is a detectable moiety;

x and y are independently selected from CH₂, NH, O or S; and

Z is a linear, branched, cyclic, saturated or unsaturated hydrocarbon containing one or more heteroatoms and optionally containing positive or negative charges, polyphosphate is a tetraphosphate or higher phosphate, sugar is a natural or modified sugar and base is a natural or modified DNA or RNA base.

Claim 56 (withdrawn): The terminal-phosphate labeled nucleoside polyphosphate of claim 55, wherein x-Z-y as a unit is selected from the group consisting of diaminoheptane, diaminocyclohexane, diaminoxylene, p-aminophenol, 9-(2-aminoethyl)-

triethyleneglycol, amino-triethylene glycol, amino-tetraethylene glycol, diaminoheptyllysines, ethylene or higher glycols, diaminoheptylpentalysine, or 2-(2-aminothoxy)ethanol.

Claim 57 (withdrawn): The terminal-phosphate labeled nucleoside polyphosphate of claim 55, wherein said sugar moiety is selected from the group consisting ribosyl, 2'-deoxyribosyl, 3'-deoxyribosyl, 2', 3'-dideoxyribosyl, 2', 3'-didehydrideoxyribosyl, 2'-alkoxyribosyl, 2'-azidoribosyl, 2'-aminoribosyl, 2'-fluororibosyl, 2'-mercaptoriboxyl, 2'-alkylthioribosyl, carbocyclic, acyclic and other modified sugars.

Claim 58 (withdrawn): The terminal-phosphate labeled nucleoside polyphosphate of claim 55, wherein said base is selected from the group consisting of uracil, thymine, cytosine, 5-methylcytosine, guanine, 7-deazaguanine, hypoxanthine, 7-deazahypoxanthine, adenine, 7-deazaadenine, 2,6-diaminopurine and analogs thereof.

Claim 59 (withdrawn): A manganese complex of a terminal-phosphate labeled nucleoside polyphosphate of following structure:



wherein

Label is a detectable moiety connected to NPP with or without a linker;

NPP is a nucleoside polyphosphate with four or more phosphates; and

x is 1 or more.

Claim 60 (withdrawn): The manganese complex of a terminal-phosphate labeled nucleoside polyphosphate of claim 59, wherein x is 1 or 10.

Claim 61 (withdrawn): The manganese complex of a terminal-phosphate labeled nucleoside polyphosphate of claim 59, wherein the nucleoside-polyphosphate is a natural or a modified nucleoside.

Claim 62 (withdrawn): The manganese complex of a terminal-phosphate labeled nucleoside polyphosphate of claim 59, wherein L is connected to the NPP through a linker of structure x-Z-y.

Claim 63 (withdrawn): The manganese complex of a terminal-phosphate labeled nucleoside polyphosphate of claim 62, wherein x-Z-y as a unit is selected from the group consisting of diaminoheptane, diaminocyclohexane, diaminoxylene, p-aminophenol, 9-(2-aminoethyl)-triethyleneglycol, amino-triethylene glycol, amino-tetraethylene glycol, diaminoheptyl-lysines, glycols, diaminoheptylpentalysine, or 2-(2-aminoethoxy)ethanol.

Claim 64 (withdrawn): A nucleic acid detection kit comprising:

- a) at least one manganese complex of a terminal-phosphate labeled nucleoside polyphosphate of formula II



wherein

Label is a detectable moiety linked to NPP with or without a linker;

NPP is a nucleoside polyphosphate with four or more phosphates; and

x is 1 or more; and

- b) a nucleic acid polymerase.

Claim 65 (withdrawn): A nucleic acid detection kit comprising:

- a) at least one manganese complex of a terminal-phosphate labeled nucleoside polyphosphate of formula II;



wherein

Label is a detectable moiety linked to NPP with or without a linker;

NPP is a nucleoside polyphosphate with four or more phosphates; and

x is 1 or more;

- b) a nucleic acid polymerase; and
c) a metal-ion binding buffer.

Claim 66 (withdrawn): The kit of any one of claims 64 or 65, wherein said label is selected from the group consisting of chemiluminescent compounds, fluorescent compounds, colored dyes, fluorogenic dyes, chromogenic dyes, mass tags, electrochemical tags and combinations thereof.